# **BG412V**

# **Technical Specifications**

Version 1.1 July 2004









# ULTRASTACK

High-Power 4 x 12", 200-Watt Guitar Cabinet with Original BUGERA™ Speakers







- ▲ Extremely low-resonance and low-vibration cabinet
- ▲ Reinforced corners and protective vinyl covering
- Exceptionally rugged construction for long life and durability

▲ Designed in Germany. Manufactured under ISO9000 certified management system

## **ULTRASTACK BG412V**

### **Specifications**

Speaker type 12" BUGERA™ Vintage Guitar Series, 4 Ohms, 50 Watts

4 x 12" Speaker system

Power rating (mono / stereo) 200 Watts / 100 Watts Impedance (mono / stereo) 4 Ohms / 8 Ohms Dimensions (W x H x D) approx. 30" x 30" x 15"

(762 mm x 762 mm x 382 mm)

Weight approx. 85 lb (38.6 kg)

BEHRINGER is constantly striving to maintain the highest professional standards. As a result of these efforts, modifications may be made from time to time to existing products without prior notice. Specifications and appearance may differ from those listed or illustrated.

Technical specifications and appearance subject to change without notice. The information contained herein is correct at the time of printing. BEHRINGER® accepts no liability for any loss which may be suffered by any person who relies either wholly or in part upon any description, photograph or statement contained herein. Colours and specification may vary slightly from product. Products are sold through our authorised dealers only. Distributors and dealers are not agents of BEHRINGER® and have absolutely no authority to bind BEHRINGER® by any express or implied undertaking or representation. No part of this manual may be reproduced or transmitted in any form or by any means, electronic or mechanical, including photocopying and recording of any kind, for any purpose, without the express written permission of BEHRINGER Spezielle Studiotechnik GmbH. BEHRINGER® is a registered trademark.

ALL RIGHTS RESERVED. © 2004 BEHRINGER Spezielle Studiotechnik GmbH, Hanns-Martin-Schleyer-Str. 36-38, 47877 Willich-Münchheide II, Germany. Tel. +49 2154 9206 0, Fax +49 2154 9206 4903